

RoHS



SHVAS

SUS304





- Hexagon posts with single-end male and single-end female threads.
- The ventilation hole easily releases gas trapped in the screw holes of equipment and machines, and supports vacuum drawing of vacuum devices.
- Two or more hexagon posts can be connected for use.

Application

Vacuum devices, vacuum chambers, FPD production equipment, semiconductor devices, and electron microscopes


	Unit:															nit : mm									
Part Number	M (Coarse)		L 📭													ь	С	l m	1 f	٨	d ₁	Mass (g)			
1	Nominal of Thread	Pitch	_														ь	C (Approx.)	LIII		u	uı	iviass (g)		
SHVAS-M3	M3	0.5	15	20	25	30	35	40										6	6.9	4.5	6	1.2	1.5	3.6 -	- 9.6
SHVAS-M4	M4	0.7		20	25	30	35	40	45	50	60	70	80					7	8.1	6	8	1.5	1.5	6.5 -	- 26
SHVAS-M5	M5	0.8		20	25	30	35	40	45	50	60	70	80	90	100			8	9.2	7.5	10	1.5	1.5	8.3 -	- 43
SHVAS-M6	M6	1			25	30	35	40	45	50	60	70	80	90	100	120	150	10	11.5	9	12	2	1.5	16 -	- 100
SHVAS-M8	M8	1.25					35	40	45	50	60	70	80	90	100	120	150	13	15	12	16	2	1.5	39 -	- 170

• Usage example

Material/Finish

Main Body

These screws are effective with vacuum devices and vacuum chambers that require the elimination of gas trapped in screw holes.



• Part number specification



Batch cleanroom packing is provided for orders containing multiple items of the same size.

